

-2-

Amendments to the Claims

This listing of claims replaces all prior versions, and listings, of claims in the above-identified application:

1. (currently amended) A medical article comprising a liquid-impervious, moisture-vapor permeable polymeric film having directly bonded thereto an absorbent, substantially nonswellable foam comprising a hydrophobic polymer, wherein the article has a dry moisture vapor transmission rate of less than about 2000 g/m²/24 hours at 38°C and 20% relative humidity.
2. (canceled)
3. (Previously Presented) The medical article of claim 1 which has a wet moisture vapor transmission rate of at least about 3000 g/m²/24 hours at 38°C and 20% relative humidity.
4. (Original) The medical article of claim 3 which has a wet moisture vapor transmission rate of at least about 5000 g/m²/24 hours at 38°C and 20% relative humidity.
5. (currently amended) The medical article of claim ~~2~~ 1 which has a dry moisture vapor transmission rate of less than about 1800 g/m²/24 hours at 38°C and 20% relative humidity.
6. (Original) The medical article of claim 5 which has a dry moisture vapor transmission rate of less than about 1500 g/m²/24 hours at 38°C and 20% relative humidity.
7. (Original) The medical article of claim 1 wherein the foam absorbs greater than 250% by weight aqueous saline solution when immersed in phosphate buffered saline containing 0.9 wt-% NaCl at 37°C for 30 minutes.

-3-

8. (Original) The medical article of claim 1 wherein the liquid-impervious, moisture-vapor permeable polymeric film has a dry moisture vapor transmission rate of at least about 300 g/m²/24 hours at 38°C and 20% relative humidity.
9. (Original) The medical article of claim 8 wherein the liquid-impervious, moisture-vapor permeable polymeric film has a wet moisture vapor transmission rate of at least about 3000 g/m²/24 hours at 38°C and 20% relative humidity.
10. (Original) The medical article of claim 1 wherein the liquid-impervious, moisture-vapor permeable polymeric film comprises one or more layers.
11. (Original) The medical article of claim 1 wherein the liquid-impervious, moisture-vapor permeable polymeric film is a thermoplastic polyurethane.
12. (Original) The medical article of claim 1 wherein the liquid-impervious, moisture-vapor permeable polymeric film has a thickness of about 10 microns to about 250 microns.
13. (Original) The medical article of claim 1 wherein the substantially nonswellable foam increases in volume by no greater than about 10% following a 30-minute soaking in phosphate buffered saline at 37°C.
14. (Original) The medical article of claim 13 wherein the substantially nonswellable foam increases in volume by no greater than about 5% following a 30-minute soaking in phosphate buffered saline at 37°C.
15. (Original) The medical article of claim 1 wherein the substantially nonswellable foam is an open cell foam.
16. (Previously presented) The medical article of claim 15 wherein the substantially nonswellable foam comprises a hydrophobic polyurethane.

-4-

17. (Original) The medical article of claim 1 wherein the liquid-impervious, moisture-vapor permeable polymeric film includes graphics printed thereon.
18. (Original) The medical article of claim 1 wherein the liquid-impervious, moisture-vapor permeable polymeric film extends beyond a periphery of the foam.
19. (Original) The medical article of claim 18 wherein the liquid-impervious, moisture-vapor permeable polymeric film includes an adhesive disposed on the surface to which the foam is bonded around the periphery of the foam.
20. (Original) The medical article of claim 1 wherein a nonwoven, woven, or knit web is bonded to the moisture-vapor permeable polymeric film on a surface opposite the surface to which the foam is bonded.
21. (Original) The medical article of claim 20 wherein the moisture-vapor permeable polymeric film is bonded to the nonwoven, woven, or knit web with a fibrous adhesive.
22. (Original) The medical article of claim 1 wherein the foam is cast directly on the film.
23. (Original) The medical article of claim 1 which is a wound dressing.
24. (currently amended) A medical article comprising a liquid-impervious, moisture-vapor permeable polymeric film having directly bonded thereto an absorbent, substantially nonswellable foam comprising a hydrophobic polymer, wherein the article has a ~~dry moisture vapor transmission rate of less than 2000 g/m²/24 hours~~ and a wet moisture vapor transmission rate of at least about 3000 g/m²/24 hours, at 38°C and 20% relative humidity.
25. (Original) The medical article of claim 24 which has a wet moisture vapor transmission rate of at least about 5000 g/m²/24 hours at 38°C and 20% relative humidity.

-5-

26. (Original) The medical article of claim 24 which has a dry moisture vapor transmission rate of less than about 1800 g/m²/24 hours at 38°C and 20% relative humidity.
27. (Original) The medical article of claim 24 wherein the foam absorbs greater than 250% by weight aqueous saline solution when immersed in buffered saline containing 0.9 wt-% NaCl at 37°C for 30 minutes.
28. (Original) The medical article of claim 24 wherein the liquid-impervious, moisture-vapor permicable polymeric film comprises one or more layers.
29. (Original) The medical article of claim 24 wherein the substantially nonswellable foam increases in volume by no greater than about 10% following a 30-minute soaking in phosphate buffered saline at 37°C.
30. (Original) The medical article of claim 24 wherein the substantially nonswellable foam is an open cell foam.
31. (Original) The medical article of claim 24 wherein the liquid-impervious, moisture-vapor permicable polymeric film extends beyond a periphery of the foam.
32. (Original) The medical article of claim 31 wherein the liquid-impervious, moisture-vapor permicable polymeric film includes an adhesive disposed on the surface to which the foam is bonded around the periphery of the foam.
33. (Original) The medical article of claim 24 wherein a nonwoven, woven, or knit web is bonded to the moisture-vapor, polymeric film on a surface opposite the surface to which the foam is bonded.
34. (Original) The medical article of claim 24 wherein the foam is cast directly on the film.

-6-

35. (Original) The medical article of claim 24 which is a wound dressing.
36. (Previously presented) The medical article of claim 1 wherein the foam comprises a hydrophobic polymer treated with a surfactant.
37. (Previously presented) The medical article of claim 24 wherein the foam comprises a hydrophobic polymer treated with a surfactant.
38. (Previously presented) A wound dressing comprising a polyurethane film having directly bonded thereto an absorbent, substantially nonswellable foam comprising a hydrophobic polyurethane, wherein:
the polyurethane film has a dry moisture vapor transmission rate of at least about 300 g/m²/24 hours at 38°C and 20% relative humidity and a wet moisture vapor transmission rate of at least about 3000 g/m²/24 hours at 38°C and 20% relative humidity; and
the foam increases in volume by no greater than about 10% following a 30-minute soaking in phosphate buffered saline at 37°C.
39. (New) A medical article comprising a liquid-impervious, moisture-vapor permeable polymeric film having directly bonded thereto an absorbent, substantially nonswellable foam comprising a hydrophobic polymer, wherein the foam absorbs greater than 250% by weight aqueous saline solution when immersed in phosphate buffered saline containing 0.9 wt-% NaCl at 37°C for 30 minutes.
40. (New) The medical article of claim 39 which has a dry moisture vapor transmission rate of less than about 2000 g/m²/24 hours at 38°C and 20% relative humidity.
41. (New) The medical article of claim 39 which has a wet moisture vapor transmission rate of at least about 3000 g/m²/24 hours at 38°C and 20% relative humidity.

-7-

42. (New) The medical article of claim 39 wherein the liquid-impervious, moisture-vapor permeable polymeric film has a dry moisture vapor transmission rate of at least about $300 \text{ g/m}^2/24 \text{ hours}$ at 38°C and 20% relative humidity.

43. (New) The medical article of claim 42 wherein the liquid-impervious, moisture-vapor permeable polymeric film has a wet moisture vapor transmission rate of at least about $3000 \text{ g/m}^2/24 \text{ hours}$ at 38°C and 20% relative humidity.

44. (New) The medical article of claim 39 wherein the liquid-impervious, moisture-vapor permeable polymeric film is a thermoplastic polyurethane.

45. (New) The medical article of claim 39 wherein the liquid-impervious, moisture-vapor permeable polymeric film has a thickness of about 10 microns to about 250 microns.

46. (New) The medical article of claim 39 wherein the substantially nonswellable foam increases in volume by no greater than about 10% following a 30-minute soaking in phosphate buffered saline at 37°C .

47. (New) The medical article of claim 39 wherein the substantially nonswellable foam is an open cell foam.

48. (New) The medical article of claim 47 wherein the substantially nonswellable foam comprises a hydrophobic polyurethane.

49. (New) The medical article of claim 39 wherein a nonwoven, woven, or knit web is bonded to the moisture-vapor polymeric film on a surface opposite the surface to which the foam is bonded.

50. (New) The medical article of claim 39 wherein the foam is cast directly on the film.

-8-

51. (New) The medical article of claim 39 which is a wound dressing.

52. (New) A medical article comprising a liquid-impervious, moisture-vapor permeable polymeric film having directly bonded thereto an absorbent, substantially nonswellable foam comprising a hydrophobic polymer, wherein the substantially nonswellable foam increases in volume by no greater than about 10% following a 30-minute soaking in phosphate buffered saline at 37°C.

53. (New) The medical article of claim 52 which has a dry moisture vapor transmission rate of less than about 2000 g/m²/24 hours at 38°C and 20% relative humidity.

54. (New) The medical article of claim 52 which has a wet moisture vapor transmission rate of at least about 3000 g/m²/24 hours at 38°C and 20% relative humidity.

55. (New) The medical article of claim 52 wherein the foam absorbs greater than 250% by weight aqueous saline solution when immersed in phosphate buffered saline containing 0.9 wt-% NaCl at 37°C for 30 minutes.

56. (New) The medical article of claim 52 wherein the liquid-impervious, moisture-vapor permeable polymeric film has a dry moisture vapor transmission rate of at least about 300 g/m²/24 hours at 38°C and 20% relative humidity.

57. (New) The medical article of claim 52 wherein the liquid-impervious, moisture-vapor permeable polymeric film is a thermoplastic polyurethane.

58. (New) The medical article of claim 52 wherein the liquid-impervious, moisture-vapor permeable polymeric film has a thickness of about 10 microns to about 250 microns.

-9-

59. (New) The medical article of claim 52 wherein the substantially nonswellable foam increases in volume by no greater than about 5% following a 30-minute soaking in phosphate buffered saline at 37°C.
60. (New) The medical article of claim 52 wherein the substantially nonswellable foam is an open cell foam.
61. (New) The medical article of claim 60 wherein the substantially nonswellable foam comprises a hydrophobic polyurethane.
62. (New) The medical article of claim 52 wherein a nonwoven, woven, or knit web is bonded to the moisture-vapor polymeric film on a surface opposite the surface to which the foam is bonded.
63. (New) The medical article of claim 52 wherein the foam is cast directly on the film.
64. (New) The medical article of claim 52 which is a wound dressing.